



ADVANTAGES

- Reduced environmental impact
- Healthier employees
- Clean products, fewer operational disruptions
- Less cleaning
- Lower energy costs
- Eliminates tobacco smoke, weld smoke, construction dust, asbestos and particles of all sizes down to ultrafine

| | |
|----------------------------|---|
| Application | Air purifier for dusty environments and indoor premises such as warehouses, pharmaceutical facilities, food factories, heavy industry, paper mills, welding workshops, construction sites, laundries, timber facilities, bakeries, packaging production, printing facilities, stables, processing industry and supermarkets. Also suitable in connection with construction, demolition and coating operations |
| Product voltage (V) | 200...240V |
| Type | Air cleaner |
| Comment | Filter: F7, E11, H13 Connection: 2 standard spacers, diam. 160mm or 1 pc 250mm Installation: Mobile, stationary, on wall or floor Capacity: 0 - 1400 m ³ /h Energy consumption: 0 - 302w Please note: Molecular filtration option is available Design: Stainless steel body Average Air purification area: 300m ² |

| Model Name | Type | Dimensions WxHxD (mm) | Sound level (dB) | Power Consumption (W) | Weight (kg) |
|-------------|----------------|-----------------------|------------------|-----------------------|-------------|
| Air Cleaner | CC 2000 Handle | 702x987x373 | 42 | 302 | 43 |
| Air Cleaner | CC 2000 Basic | 550x783x302 | 42 | 302 | 32 |